



QuietTorque™ 20.0

Clean, Green, and Quiet!


*Electric propulsion systems engineered
and built by sailors for sailors since 2007!*

The **QuietTorque™ 20.0** is recommended for boats up to 42' (LOA) and 22,000lbs displacement. Typically replaces diesel engines in the 25hp to 40hp range. Typical battery size is 300 - 500Ah

Specifications

Motor type	PMAC* Brushless
Voltage	48Vdc (36-65Vdc)
Max Input Power	20 kW
Cont. Input Power	16 kW
Weight	135 pounds
Frame	Anodized Aluminum

*Permanent magnet Alternating Current



Standard Features

Motor Mounts	Adjustable Mounts to current engine stringers
Throttle	Anodized Al waterproof throttle with key & neutral lock
System Monitor	Programmable digital display <ul style="list-style-type: none">• State of Charge (SOC)• Voltage, Current, Power and RPM• Time to Discharge (TTD)• Programmable regeneration and max power• Programmable RH or LH propeller rotation• Programmable for flooded, AGM and LiFePO4 battery type and size
Shaft coupler	4" flange (Hurth/Borg Warner)
Power Switch	Two position GigaVac 500A switch
Relay	500A TE Connectivity vacuum relay
Fuse	Class-T fuse & holder



Why Electric Yacht

UNPARALLELED CUSTOMER SERVICE AND ENGINEERING

Computer generated performance projections

Three year warranty

Designed for customer installation

The **QuietTorque™ 20.0** is very complete and includes everything needed except batteries, battery cables and charger. Contact us directly or through one of our dealers and we will help you design a complete system to meet your particular needs.